

MAPPING CRM → FRBR

Foreword to version 0, released on January 29th 2003:

This is the first draft version of a mapping from CRM to FRBR. It is intended to serve as a counterpart of the mapping from FRBR to CRM that was released by late December 2002. The aim is to test the robustness of both CRM and FRBR, and to test their potential interoperability. A more specific use of this mapping could be to ensure that CRM-compliant descriptions of museum or library materials could be understood in FRBR terms and automatically converted into entries in a library catalogue, or to display museum and library catalogue entries on the same OPAC (provided the museum catalogue is CRM-compliant and the library catalogue is FRBR-compliant).

In the “traditional” bibliographic universe, information is split into “bibliographic records” and “authority records”. FRBR only deals with bibliographic records and FRANAR will deal with authority records. There is no such separation in CRM and all elements of interest in the museum universe of discourse are handled by CRM. Until FRANAR is finished and made public and the whole “bibliographic universe” is covered by the “FRBR+FRANAR” model, this mapping is necessarily incomplete; hence the mention “Out of scope of FRBR; pertains to the scope of FRANAR” for a number of properties.

This mapping is based on version 3.4 of CRM.

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.1. Work
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.2.1. Title of the Work
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Work] AND E41 IS INSTANTIATED BY E35 Title, THEN	<i>(General Comment on P1: there is no high-level property such as "P1 is identified by (identifies)" in FRBR: it is therefore necessary to instantiate this property for each entity)</i> <i>(Specific Comment: the condition is equivalent to having P1 instantiated by "P102 has title (is title of)"; see P102 below)</i>

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.2. Expression
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.3.1. Title of the Expression
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Expression] AND E41 IS INSTANTIATED BY E35 Title, THEN	<i>(Comment: the condition is equivalent to having P1 instantiated by "P102 has title (is title of)"; see P102 below)</i>

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.3. Manifestation
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.4.1. Title of the Manifestation + 4.4.2. Statement of Responsibility
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation] AND E41 IS INSTANTIATED BY E35 Title, THEN	<i>(Comment: the condition is equivalent to having P1 instantiated by "P102 has title (is title of)"; see P102 below)</i> <i>(Comment: "4.4.1. Title of the Manifestation" and "4.4.2. Statement of Responsibility" also are Inscriptions)</i>

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.3. Manifestation
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.4.14. Manifestation Identifier
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation] AND E41 Appellation IS INSTANTIATED BY E75 Conceptual	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Object Appellation, THEN	
	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.4. Item
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.5.1. Item Identifier AND/OR 4.5.2. Fingerprint
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E84 Information Carrier, THEN	
	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.5. Person
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.6.1. Name of Person
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E21 Person AND E41 IS INSTANTIATED BY E82 Actor Appellation, THEN	<i>(Comment: the condition is equivalent to having P1 instantiated by P131; see P131 below)</i>
	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.6. Corporate Body
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.7.1. Name of Corporate Body + 4.7.2. Number Associated with the Corporate Body + Place Associated with the Corporate Body + 4.7.4. Date Associated with the Corporate Body + 4.7.5. Other Designation Associated with the Corporate Body
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E74 Group, THEN	<i>(Comment: the condition is equivalent to having P1 instantiated by P131; see P131 below)</i>
	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.7. Concept
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.8.1. Term for the Concept
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E28 Conceptual Object AND E41 Appellation IS INSTANTIATED BY E75 Conceptual Object Appellation, THEN	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.8. Object
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.9.1. Term for the Object
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E19 Physical Object, THEN	

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.10. Event
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.10.1. Term for the Event
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E4 Period, THEN	

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.11. Place
Link	P1 is identified by (identifies)	[has attribute]
Range	E41 Appellation	4.11.1. Term for the Place
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E53 Place AND E41 Appellation IS INSTANTIATED BY E44 Place Appellation, THEN	<i>(Comment: the condition is equivalent to having P1 instantiated by P87; see P87 below)</i>

	Source: CRM	FRBR
Domain	E1 CRM Entity	
Link	P2 has type (is type of)	
Range	E55 Type	
Conditions		<i>(No equivalent at a high level; types are not explicitly dealt with in FRBR, though the notion of "types" is not absent from the model, e.g. in the Work attribute "4.2.8. Medium of Performance (Musical Work)": the value in brackets clearly indicates that the attribute is valid if and only if the instance of Work has type: Musical Work. Some FRBR attributes however can be regarded as instantiations of CRM E55 Type and are dealt with hereafter. Besides, the very notion of "Manifestation" in FRBR can be regarded as a Type.)</i>

	Source: CRM	FRBR

Mapping CRM_to_FRBR
version 0, 29/01/2003

Domain	E1 CRM Entity	3.2.1. Work
Link	P2 has type (is type of)	[has attribute]
Range	E55 Type	4.2.2. Form of Work AND/OR 4.2.5. Intended Termination AND/OR 4.2.6. Intended Audience AND/OR 4.2.12. Equinox (Cartographic Work)
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.2. Expression
Link	P2 has type (is type of)	[has attribute]
Range	E55 Type	4.3.2. Form of Expression AND/OR 4.3.6. Extensibility of Expression AND/OR 4.3.7. Revisability of Expression AND/OR 4.3.14 Expected Regularity of Issue (Serial) AND/OR 4.3.15. Expected Frequency of Issue (Serial) AND/OR 4.3.16. Type of Score (Musical Notation) AND/OR 4.3.19 Projection (Cartographic Image/Object) AND/OR 4.3.20. Presentation Technique (Cartographic Image/Object) AND/OR 4.3.21. Representation of Relief (Cartographic Image/Object) AND/OR 4.3.23. Recording Technique (Remote Sensing Image) AND/OR 4.3.25 Technique (Graphic or Projected Image)

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Expression], THEN	
	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.3 Manifestation
Link	P2 has type (is type of)	[has attribute]
Range	E55 Type	4.4.12. Capture mode AND/OR Typeface (Printed Book) AND/OR 4.4.19 Type Size (Printed Book) AND/OR 4.4.20. Foliation (Hand-Printed Book) AND/OR 4.4.22. Publication Status (Serial) AND/OR 4.4.24. Playing Speed (Sound Recording) AND/OR 4.4.25. Groove Width (Sound Recording) AND/OR 4.4.26. Kind of Cutting (Sound recording) AND/OR 4.4.27. Tape Configuration (Sound Recording) AND/OR 4.4.28. Kind of Sound (Sound Recording) AND/OR 4.4.29. Special Reproduction Characteristic (Sound Recording) AND/OR 4.4.30. Colour (Image) AND/OR 4.4.32. Polarity (Microform or Visual Projection) AND/OR 4.4.34. Presentation Format (Visual Projection) AND/OR 4.4.37. Mode of Access (Remote Access Electronic Resource)

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation], THEN	
------------	--	--

	Source: CRM	FRBR
Domain	E1 CRM Entity	
Link	P2 has type (is type of)	
Range	E55 Type	
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Person, Corporate Body, Concept, Event, Object or Place], THEN	<i>(out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.1. Work
Link	P3 has note	[has attribute]
Range	E62 String	4.2.7. Context for the Work AND/OR 4.2.11. Coordinates (Cartographic Work)
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.2. Expression
Link	P3 has note	[has attribute]
Range	E62 String	4.3.9. Summarization of Content AND/OR 4.3.10. Context for the Expression AND/OR 4.3.11. Critical Response to the Expression AND/OR 4.3.13. Sequencing Pattern (Serial) AND/OR 4.3.18. Scale (Cartographic Image/Object) AND/OR 4.3.22. Geodetic, Grid, and Vertical Measurement (Cartographic

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

		Image/Object) AND/OR 4.3.24. Special Characteristic (Remote Sensing Image)
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.3. Manifestation
Link	P3 has note	[has attribute]
Range	E62 String	4.4.21. Collation (Hand-Printed Book) AND/OR 4.4.23. Numbering (Serial) AND/OR 4.4.31. Reduction Ratio (Microform) AND/OR 4.4.33. Generation (Microform or Visual Projection) AND/OR 4.4.35 System Requirements (Electronic Resource) AND/OR 4.4.36. File Characteristics (Electronic Resource) AND/OR 4.4.38. Access Address (Remote Access Electronic Resource)
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation], THEN	

	Source: CRM	FRBR
Domain	E1 CRM Entity	3.2.4. Item
Link	P3 has note	[has attribute]
Range	E62 String	4.5.5. Exhibition History AND/OR 4.5.7. Treatment History AND/OR 4.5.8. Scheduled Treatment

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions	IF E1 CRM Entity IS INSTANTIATED BY E84 Information Carrier, THEN	
------------	--	--

	Source: CRM	FRBR
Domain	E1 CRM Entity	
Link	P3 has note	
Range	E62 String	
Conditions	IF E1 CRM Entity IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Person, Corporate Body, Concept, Event, Object or Place], THEN	<i>(out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	P3 has note	
Link	P3.1 has Type	
Range	E55 Type	
Conditions		<i>(see names of attributes above)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	3.2.1. Work
Link	P4 has time-span (is time-span of)	[has attribute]
Range	E52 Time-Span	4.2.3. Date – [has type:] range of dates
Conditions	IF E7 Activity IS INSTANTIATED BY E65 Creation Event AND E65 Creation Event P94 has created (was created by) E73 Information Object AND 73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E2 Temporal Entity	3.2.2. Expression
Link	P4 has time-span (is time-span of)	[has attribute]
Range	E52 Time-Span	4.3.3. Date – [has type:] range of dates
Conditions	IF E7 Activity IS INSTANTIATED BY E65 Creation Event AND E65 Creation Event P94 has created (was created by) E73 Information Object AND 73 Information Object P2 has type E55 Type [= Expression], THEN	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E2 Temporal Entity	3.2.3. Manifestation
Link	P4 has time-span (is time-span of)	[has attribute]
Range	E52 Time-Span	4.4.6. Date of Publication/Distribution – [has type:] range of dates
Conditions	IF E7 Activity IS INSTANTIATED BY E65 Creation Event AND E65 Creation Event P94 has created (was created by) E73 Information Object AND 73 Information Object P2 has type E55 Type [= Manifestation], THEN	

	Source: CRM	FRBR
Domain	E3 Condition State	
Link	P5 consists of (forms part of)	
Range	E3 Condition State	
Conditions		<i>(No equivalent)</i>

	Source: CRM	FRBR
Domain	E4 Period	
Link	P7 took place at (witnessed)	
Range	E53 Place	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E4 Period	
Link	P8 took place on or within (witnessed)	
Range	E19 Physical Object	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E4 Period	
Link	P9 consists of (forms part of)	
Range	E4 Period	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E4 Period	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Link	P10 falls within (contains)	
Range	E4 Period	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E5 Event	
Link	P11 had participant (participated in)	
Range	E39 Actor	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E5 Event	
Link	P12 occurred in the presence of (was present at)	
Range	E77 Persistent Item	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E6 Destruction	
Link	P13 destroyed (was destroyed by)	
Range	E19 Physical Object	
Conditions		<i>(No relevance in library practice; the result of destruction is dealt with in Item attribute "4.5.6. Condition of the Item"; see "P44 has condition (condition of)")</i>

	Source: CRM	FRBR
Domain	E7 Activity	3.2.1. Work
Link	P14 carried out by (performed)	5.2.2.[1]. created by ([has created])
Range	E39 Actor	3.1.2. Group 2 Entities (Person, Corporate Body)
Conditions	IF E7 Activity IS INSTANTIATED BY E65 Creation Event AND E65 Creation Event P94 has created (was created by) E73 Information Object AND 73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E7 Activity	3.2.2. Expression

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Link	P14 carried out by (performed)	5.2.2.[2]. realized by ([has realized])
Range	E39 Actor	3.1.2. Group 2 Entities (Person, Corporate Body)
Conditions	IF E7 Activity IS INSTANTIATED BY E65 Creation Event AND E65 Creation Event P94 has created (was created by) E73 Information Object AND 73 Information Object P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E7 Activity	3.2.3. Manifestation
Link	P14 carried out by (performed)	5.2.2.[3]. produced by ([has produced])
Range	E39 Actor	3.1.2. Group 2 Entities (Person, Corporate Body)
Conditions	IF E7 Activity IS INSTANTIATED BY E65 Creation Event AND E65 Creation Event P94 has created (was created by) E73 Information Object AND 73 Information Object P2 has type E55 Type [= Manifestation], THEN	

	Source: CRM	FRBR
Domain	E7 Activity	
Link	P15 was influenced by (influenced)	
Range	E1 CRM Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E7 Activity	
Link	P16 used specific object (was used for)	
Range	E19 Physical Object	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	P16 used specific object (was used for)	
Link	P16.1 mode of use	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
--	-------------	------

Mapping CRM_to_FRBR
version 0, 29/01/2003

Domain	E7 Activity	
Link	P17 was motivated by (motivated)	
Range	E1 CRM Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E7 Activity	
Link	P19 was intended use of (was made for)	
Range	E71 Man-Made Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	P19 was intended use of (was made for)	
Link	P19.1 mode of use	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E7 Activity	
Link	P20 had specific purpose (was purpose of)	
Range	E7 Activity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E7 Activity	
Link	P21 had general purpose (was purpose of)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E8 Acquisition Event	
Link	P22 transferred title to (acquired title through)	
Range	E39 Actor	
Conditions		<i>(No relevance in library practice; see P49 to P54)</i>

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E8 Acquisition Event	
Link	P23 transferred title from (surrendered title of)	
Range	E39 Actor	
Conditions		<i>(No relevance in library practice; see P49 to P54)</i>

	Source: CRM	FRBR
Domain	E8 Acquisition Event	
Link	P24 transferred title of (changed ownership by)	
Range	E18 Physical Stuff	
Conditions		<i>(No relevance in library practice; see P49 to P54)</i>

	Source: CRM	FRBR
Domain	E9 Move	
Link	P25 moved (moved by)	
Range	E19 Physical Object	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E9 Move	
Link	P26 moved to (was destination of)	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E9 Move	
Link	P27 moved from (was origin of)	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E10 Transfer of Custody	
Link	P28 custody surrendered by (surrendered custody through)	
Range	E39 Actor	
Conditions		<i>(No relevance in library practice; see P49 to P54)</i>

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E10 Transfer of Custody	
Link	P29 custody received by (received custody through)	
Range	E39 Actor	
Conditions		<i>(No relevance in library practice; see P49 to P54)</i>

	Source: CRM	FRBR
Domain	E10 Transfer of Custody	
Link	P30 transferred custody of (custody transferred through)	
Range	E19 Physical Object	
Conditions		<i>(No relevance in library practice; see P49 to P54)</i>

	Source: CRM	FRBR
Domain	E11 Modification Event	
Link	P31 has modified (was modified by)	
Range	E24 Physical Man-Made Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E11 Modification Event	
Link	P32 used general technique (was technique of)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E11 Modification Event	
Link	P33 used specific technique (was used by)	
Range	E29 Design or Procedure	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E14 Condition Assessment	
Link	P34 concerned (was assessed by)	
Range	E18 Physical Stuff	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions		<i>(No relevance in library practice; see "P44 has condition (condition of)")</i>
	Source: CRM	FRBR
Domain	E14 Condition Assessment	
Link	P35 has identified (identified by)	
Range	E3 Condition State	
Conditions		<i>(No relevance in library practice; see "P44 has condition (condition of)")</i>
	Source: CRM	FRBR
Domain	E15 Identifier Assignment	
Link	P36 registered (was registered by)	
Range	E19 Physical Object	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E15 Identifier Assignment	
Link	P37 assigned (was assigned by)	
Range	E42 Object Identifier	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E15 Identifier Assignment	
Link	P38 deassigned (was deassigned by)p	
Range	E42 Object Identifier	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E16 Measurement Event	
Link	P39 measured (was measured by)	
Range	E70 Stuff	
Conditions		<i>(No relevance in library practice; see "P43 has dimension (is dimension of)")</i>
	Source: CRM	FRBR
Domain	E16 Measurement Event	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Link	P40 observed dimension (was observed in)	
Range	E54 Dimension	
Conditions		<i>(No relevance in library practice; see "P43 has dimension (is dimension of)")</i>

	Source: CRM	FRBR
Domain	E17 Type Assignment	
Link	P41 classified (was classified by)	
Range	E1 CRM Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E17 Type Assignment	
Link	P42 assigned (was assigned by)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.2. Expression
Link	P43 has dimension (is dimension of)	[has attribute]
Range	E54 Dimension	4.3.8. Extent of the Expression
Conditions	IF E70 Stuff P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.3. Manifestation
Link	P43 has dimension (is dimension of)	[has attribute]
Range	E54 Dimension	4.4.13. Dimensions of the Carrier
Conditions	IF E70 Stuff P2 has type E55 Type [= Manifestation], THEN	

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.4. Item
Link	P44 has condition (condition of)	[has attribute]
Range	E3 Condition State	4.5.6. Condition of the Item
Conditions		

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.3. Manifestation
Link	P45 consists of (is incorporated in)	[has attribute]
Range	E57 Material	4.4.11. Physical Medium
Conditions		

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.4. Item
Link	P46 is composed of (forms part of)	5.3.6.1. has part (is part of)
Range	E18 Physical Stuff	3.2.4. Item
Conditions		

	Source: CRM	FRBR
Domain	E19 Physical Object	3.2.4. Item
Link	P47 is identified by (identifies)	[has attribute]
Range	E42 Object Identifier	4.5.1. Item Identifier
Conditions		

	Source: CRM	FRBR
Domain	E19 Physical Object	3.2.4. Item
Link	P48 has preferred identifier (is preferred identifier of)	[has attribute]
Range	E42 Object Identifier	4.5.1. Item Identifier
Conditions		

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.4. Item
Link	P49 has former or current keeper (is former or current keeper of)	5.2.2.[4]. is owned by
Range	E39 Actor	3.1.2. Group 2 Entities
Conditions		

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.4. Item
Link	P50 has current keeper (is current keeper of)	5.2.2.[4]. is owned by
Range	E39 Actor	3.1.2. Group 2 Entities
Conditions		

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.4. Item
Link	P51 has former or current owner (is former or current owner of)	5.2.2.[4]. is owned by
Range	E39 Actor	3.1.2. Group 2 Entities
Conditions		

	Source: CRM	FRBR
Domain	E18 Physical Stuff	3.2.4. Item
Link	P52 has current owner (is current owner of)	5.2.2.[4]. is owned by
Range	E39 Actor	3.1.2. Group 2 Entities
Conditions		

	Source: CRM	FRBR
Domain	E18 Physical Stuff	
Link	P53 has former or current location (is former or current location of)	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E19 Physical Object	
Link	P54 has current permanent location (is current permanent location of)	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E19 Physical Object	
Link	P55 has current location (currently holds)	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E19 Physical Object	3.2.4. Item
Link	P56 bears feature (is found on)	[has attribute]

Mapping CRM_to_FRBR
version 0, 29/01/2003

Range	E26 Physical Feature	4.5.4. Marks/inscriptions
Conditions		

	Source: CRM	FRBR
Domain	E19 Physical Object	3.2.3. Manifestation
Link	P57 has number of parts	[has attribute]
Range	E60 Number	4.4.10. Extent of the Carrier
Conditions		

	Source: CRM	FRBR
Domain	E18 Physical Stuff	
Link	P58 has section definition (defines section)	
Range	E46 Section Definition	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E18 Physical Stuff	
Link	P59 has section (is located on or within)	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E24 Physical Man-Made Stuff	3.2.4. Item
Link	P62 depicts (is depicted by)	5.2.1.[3]. [exemplifies] (is exemplified by) 3.2.3. Manifestation AND 3.2.3. Manifestation 5.2.1.[2] is an embodiment of (is embodied in) 3.2.2. Expression AND 3.2.2. Expression 5.2.1.[1]. is a realization of (realized through) 3.2.1. Work AND 3.2.1. Work

Mapping CRM_to_FRBR
version 0, 29/01/2003

		5.2.3. has as subject ([is subject of])
Range	E1 CRM Entity	3.1.3. Group 3 Entities (Group 1 + Group 2 + Concept, Object, Event, Place)
Conditions		3.2.1. Work [has type] Graphic or Projected Image

	Source: CRM	FRBR
Domain	P62 depicts (is depicted by)	
Link	P62.1 mode of depiction	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E24 Physical Man-Made Stuff	3.2.3. Manifestation
Link	P65 shows visual item (is shown by)	5.2.1.[2] is an embodiment of (is embodied in)
Range	E36 Visual Item	3.2.2. Expression
Conditions		3.2.2. Expression [has type] Graphic or Projected Image

	Source: CRM	FRBR
Domain	E73 Information Object	
Link	P67 refers to (is referred to by)	
Range	E1 CRM Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	P67 refers to (is referred to by)	
Link	P67.1 has type	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E29 Design or Procedure	
Link	P68 usually employs (is usually employed by)	
Range	E57 Material	
Conditions		<i>(No relevance in library practice)</i>

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E29 Design or Procedure	
Link	P69 is associated with	
Range	E29 Design or Procedure	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E31 Document	
Link	P70 documents (is documented in)	
Range	E1 CRM Entity	
Conditions		<i>(Not mentioned in FRBR, though relevant to some special materials)</i>

	Source: CRM	FRBR
Domain	E32 Authority Document	
Link	P71 lists (is listed in)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E33 Linguistic Object	3.2.2. Expression
Link	P72 has language (is language of)	[has attribute]
Range	E56 Language	4.3.4. Language of Expression
Conditions		

	Source: CRM	FRBR
Domain	E33 Linguistic Object	3.2.2. Expression
Link	P73 has translation (is translation of)	5.3.2.[3] has a translation (is a translation of)
Range	E33 Linguistic Object	3.2.2. Expression
Conditions		

	Source: CRM	FRBR
Domain	E39 Actor	
Link	P74 has current of former residence (is current or former residence of)	
Range	E53 Place	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>
------------	--	--

	Source: CRM	FRBR
Domain	E39 Actor	
Link	P75 possesses (is possessed by)	
Range	E30 Right	
Conditions		<i>(See P104)</i>

	Source: CRM	FRBR
Domain	E39 Actor	
Link	P76 has contact point (provides access to)	
Range	E51 Contact Point	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	3.2.9. Event
Link	P78 is identified by (identifies)	[has attribute]
Range	E49 Time Appellation	4.10.1 Term for the Event
Conditions		

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P79 beginning is qualified by	
Range	E62 String	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P80 end is qualified by	
Range	E62 String	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P81 ongoing throughout	

Mapping CRM_to_FRBR
version 0, 29/01/2003

Range	E61 Time Primitive	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P82 at some time within	
Range	E61 Time Primitive	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P83 had at least duration (was minimum duration of)	
Range	E54 Dimension	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P84 had at most duration (was maximum duration of)	
Range	E54 Dimension	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E52 Time-Span	
Link	P86 falls within (contains)	
Range	E52 Time-Span	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E53 Place	3.2.10. Place
Link	P87 is identified by (identifies)	[has attribute]
Range	E44 Place Appellation	4.11.1. Term for the Place
Conditions		

	Source: CRM	FRBR
Domain	E53 Place	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Link	P88 consists of (forms part of)	
Range	E53 Place	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E53 Place	
Link	P89 falls within (contains)	
Range	E53 Place	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E54 Dimension	
Link	P90 has value	
Range	E60 Number	
Conditions		<i>(See P43)</i>

	Source: CRM	FRBR
Domain	E54 Dimension	
Link	P91 has unit (is unit of)	
Range	E58 Measurement Unit	
Conditions		<i>(See P43)</i>

	Source: CRM	FRBR
Domain	E63 Beginning of Existence	
Link	P92 brought into existence (was brought into existence by)	
Range	E77 Persistent Item	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E64 End of Existence	
Link	P93 took out of existence (was taken out of existence by)	
Range	E77 Persistent Item	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
--	-------------	------

Mapping CRM_to_FRBR
version 0, 29/01/2003

Domain	E65 Creation Event	
Link	P94 has created (was created by)	
Range	E28 Conceptual Object	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E66 Formation Event	
Link	P95 has formed (was formed by)	
Range	E74 Group	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E67 Birth	
Link	P96 by mother (gave birth)	
Range	E21 Person	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E67 Birth	
Link	P97 by father (was father for)	
Range	E21 Person	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E67 Birth	
Link	P98 brought into life (was born)	
Range	E21 Person	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E68 Dissolution	
Link	P99 dissolved (was dissolved by)	
Range	E74 Group	
Conditions		<i>(No relevance in library practice)</i>

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E69 Death	
Link	P100 was death of (died in)	
Range	E21 Person	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E70 Stuff	
Link	P101 had as general use (was use of)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E71 Man-Made Stuff	3.2.1. Work
Link	P102 has title (is title of)	[has attribute]
Range	E35 Title	4.2.1. Title of the Work
Conditions	IF E71 Man-Made Stuff P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E71 Man-Made Stuff	3.2.2. Expression
Link	P102 has title (is title of)	[has attribute]
Range	E35 Title	4.3.1. Title of the Expression
Conditions	IF E71 Man-Made Stuff P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E71 Man-Made Stuff	3.2.3. Manifestation
Link	P102 has title (is title of)	[has attribute]
Range	E35 Title	4.4.1. Title of the Manifestation + 4.4.2. Statement of Responsibility
Conditions	IF E71 Man-Made Stuff P2 has type E55 Type [= Manifestation], THEN	<i>(Comment: "4.4.1. Title of the Manifestation" and "4.4.2. Statement of Responsibility" also are Inscriptions)</i>

	Source: CRM	FRBR
Domain	P102 has title (is title of)	
Link	P102.1 has type	
Range	E55 Type	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions		<i>(This data element is recorded in MARC formats, but not at the abstract level of the FRBR model)</i>
------------	--	---

	Source: CRM	FRBR
Domain	E71 Man-Made Stuff	
Link	P103 was intended for (was intention of)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E72 Legal Object	3.2.2. Expression
Link	P104 is subject to (applies to)	[has attribute]
Range	E30 Right	4.3.12. Use Restrictions on the Expression
Conditions	IF E72 Legal Object IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E72 Legal Object	3.2.3. Manifestation
Link	P104 is subject to (applies to)	[has attribute]
Range	E30 Right	4.4.17. Access Restrictions on the Manifestation
Conditions	IF E72 Legal Object IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation], THEN	

	Source: CRM	FRBR
Domain	E72 Legal Object	3.2.4. Item
Link	P104 is subject to (applies to)	[has attribute]
Range	E30 Right	4.5.9. Access Restrictions on the Item
Conditions	IF E72 Legal Object IS INSTANTIATED BY E84 Information Carrier, THEN	

	Source: CRM	FRBR
Domain	E72 Legal Object	3.2.3. Manifestation
Link	P105 right held by (has right on)	[has attribute]

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Range	E39 Actor	4.4.15. Source for Acquisition/ Access Authorization
Conditions		

	Source: CRM	FRBR
Domain	E73 Information Object	3.2.2. Expression
Link	P106 is composed of (forms part of)	5.3.2.1. has part (is part of)
Range	E73 Information Object	3.2.2. Expression
Conditions	IF E73 Information Object P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E73 Information Object	3.2.3. Manifestation
Link	P106 is composed of (forms part of)	5.3.4.1. has part (is part of)
Range	E73 Information Object	3.2.2. Manifestation
Conditions	IF E73 Information Object P2 has type E55 Type [= Manifestation], THEN	

	Source: CRM	FRBR
Domain	E74 Group	
Link	P107 has current or former member (is current or former member of)	
Range	E39 Actor	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E12 Production Event	
Link	P108 has produced (was produced by)	
Range	E24 Physical Man-Made Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E78 Collection	
Link	P109 has current or former curator (is current or former curator of)	
Range	E39 Actor	
Conditions		<i>(Comment: Collections are not dealt with by FRBR nor by FRANAR)</i>

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E79 Part Addition	
Link	P110 augmented (was augmented by)	
Range	E24 Physical Man-Made Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E79 Part Addition	
Link	P111 added (was added by)	
Range	E18 Physical Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E79 Part Addition	
Link	P112 diminished (was diminished by)	
Range	E24 Physical Man-Made Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E80 Part Removal	
Link	P113 removed (was removed by)	
Range	E18 Physical Stuff	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P114 is equal in time to	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P115 finishes (is finished by)	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P116 starts (is started by)	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P117 occurs during (includes)	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P118 overlaps in time with (is overlapped in time by)	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P119 meets in time with (is met in time by)	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E2 Temporal Entity	
Link	P120 occurs before (occurs after)	
Range	E2 Temporal Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E53 Place	
Link	P121 overlaps with	
Range	E53 Place	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E53 Place	
Link	P122 borders with	
Range	E53 Place	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E81 Transformation	
Link	P123 resulted in (resulted from)	
Range	E77 Persistent Item	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E81 Transformation	
Link	P124 transformed in (was transformed by)	
Range	E77 Persistent Item	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E7 Activity	
Link	P125 used object of type (was type of object used in)	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E11 Modification Event	
Link	P126 employed (was employed in)	
Range	E57 Material	
Conditions		<i>(No relevance in library practice)</i>
	Source: CRM	FRBR
Domain	E55 Type	
Link	P127 has broader term (has narrower term)	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Range	E55 Type	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>

	Source: CRM	FRBR
Domain	E24 Physical Man-Made Stuff	3.2.4. Item
Link	P128 carries (is carried by)	5.2.1.[3] [exemplifies] (is exemplified by) 3.2.3. Manifestation AND 3.2.3. Manifestation 5.2.1.[2] is an embodiment of (is embodied in) 3.2.2. Expression AND 3.2.2. Expression 5.2.1.[1] is a realization of (is realized through)
Range	E73 Information Object	3.2.1. Work
Conditions	IF E73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E24 Physical Man-Made Stuff	3.2.4. Item
Link	P128 carries (is carried by)	5.2.1.[3] [exemplifies] (is exemplified by) 3.2.3. Manifestation AND 3.2.3. Manifestation 5.2.1.[2] is an embodiment of (is embodied in)
Range	E73 Information Object	3.2.2. Expression
Conditions	IF E73 Information Object P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E24 Physical Man-Made Stuff	3.2.4. Item
Link	P128 carries (is carried by)	5.2.1.[3] [exemplifies] (is exemplified by)
Range	E73 Information Object	3.2.3. Manifestation
Conditions	IF E73 Information Object P2 has type E55 Type [= Manifestation], THEN	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E73 Information Object	3.2.1. Work
Link	P129 is about (is subject of)	5.2.3. has as subject ([is subject of])
Range	E1 CRM Entity	3.1.3. Group 3 Entities (Group 1 + Group 2 + Concept, Object, Event, and Place)
Conditions		

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.1. Work
Link	P130 shows features of (features are also found on)	5.3.1. Work-to-Work Relationships
Range	E70 Stuff	3.2.1. Work
Conditions	IF E70 Stuff IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.2. Expression
Link	P130 shows features of (features are also found on)	5.3.2. Expression-to-Expression Relationships
Range	E70 Stuff	3.2.2. Expression
Conditions	IF E70 Stuff IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Expression], THEN	

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.2. Expression
Link	P130 shows features of (features are also found on)	5.3.3. Expression-to-Work Relationships
Range	E70 Stuff	3.2.1. Work
Conditions	IF E70 Stuff(Domain) IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Expression] AND E70 Stuff(Range) IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Work], THEN	

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.3. Manifestation
Link	P130 shows features of (features are also found on)	5.3.4. Expression-to-Expression Relationships
Range	E70 Stuff	3.2.3. Manifestation

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

Conditions	IF E70 Stuff IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation], THEN	
------------	--	--

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.3. Manifestation
Link	P130 shows features of (features are also found on)	5.3.5. Manifestation-to-Item Relationships
Range	E70 Stuff	3.2.4. Item
Conditions	IF E70 Stuff(Domain) IS INSTANTIATED BY E73 Information Object AND E73 Information Object P2 has type E55 Type [= Manifestation] AND E70 Stuff(Range) IS INSTANTIATED BY E84 Information Carrier, THEN	

	Source: CRM	FRBR
Domain	E70 Stuff	3.2.4. Item
Link	P130 shows features of (features are also found on)	5.3.6. Item-to-Item Relationships
Range	E70 Stuff	3.2.4. Item
Conditions	IF E70 Stuff IS INSTANTIATED BY E84 Information Carrier, THEN	

	Source: CRM	FRBR
Domain	P130 shows features of (features are also found on)	5.3.1. Work-to-Work Relationships OR 5.3.2. Expression-to-Expression Relationships OR 5.3.3. Expression-to-Work Relationships OR 5.3.4. Expression-to-Expression Relationships OR 5.3.5. Manifestation-to-Item Relationships OR 5.3.6. Item-to-Item Relationships
Link	P130.1 kind of similarity	[has name]
Range	E55 Type	[name of relationship]
Conditions		

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E39 Actor	3.2.5. Person
Link	P131 is identified by (identifies)	[has attribute]
Range	E82 Actor Appellation	4.6.1. Name of Person
Conditions	IF E39 Actor IS INSTANTIATED BY E21 Person, THEN	

	Source: CRM	FRBR
Domain	E39 Actor	3.2.6. Corporate Body
Link	P131 is identified by (identifies)	[has attribute]
Range	E82 Actor Appellation	4.7.1. Name of the Corporate Body
Conditions	IF E39 Actor IS INSTANTIATED BY E74 Group, THEN	

	Source: CRM	FRBR
Domain	E4 Period	
Link	P132 overlaps with	
Range	E4 Period	
Conditions	<i>(No relevance in library practice)</i>	

	Source: CRM	FRBR
Domain	E4 Period	
Link	P133 is separated from	
Range	E4 Period	
Conditions	<i>(No relevance in library practice)</i>	

	Source: CRM	FRBR
Domain	E7 Activity	
Link	P134 continued (was continued by)	
Range	E7 Activity	
Conditions	<i>(No relevance in library practice)</i>	

	Source: CRM	FRBR
Domain	E83 Type Creation	
Link	P135 created type (was created by)	
Range	E55 Type	
Conditions	<i>(No relevance in library practice)</i>	

**Mapping CRM_to_FRBR
version 0, 29/01/2003**

	Source: CRM	FRBR
Domain	E83 Type Creation	
Link	P136 was based on (supported type creation)	
Range	E1 CRM Entity	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	P136 was based on (supported type creation)	
Link	P136.1 in the taxonomic role	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E55 Type	3.2.3. Manifestation
Link	P137 is exemplified by (exemplifies)	5.2.1.[3] is exemplified by ([exemplifies])
Range	E1 CRM Entity	3.2.4. Item
Conditions	IF E55 Type P2 has type E55 Type [= Manifestation] AND E1 CRM Entity IS INSTANTIATED BY E84 Information Carrier, THEN P137 IS EQUIVALENT TO P128 carries (is carried by)	

	Source: CRM	FRBR
Domain	E55 Type	
Link	P137 is exemplified by (exemplifies)	
Range	E1 CRM Entity	
Conditions	IF NOT, THEN	<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	P137 is exemplified by (exemplifies)	3.2.4. Item
Link	P137.1 in the taxonomic role	[has type]
Range	E55 Type	[type] [e.g., Legal Deposit Item used to produce a National Bibliography]
Conditions		<i>(Could be used to characterize Items obtained through legal deposit and that were used to produce national bibliographies by National Bibliographic Agencies)</i>

Mapping CRM_to_FRBR
version 0, 29/01/2003

	Source: CRM	FRBR
Domain	E36 Visual Item	3.2.2. Expression
Link	P138 represents (has representation)	5.2.1.[1]. is a realization of (realized through) 3.2.1. Work AND 3.2.1. Work 5.2.3. has as subject ([is subject of])
Range	E1 CRM Entity	3.1.3. Group 3 Entities (Group 1 + Group 2 + Concept, Object, Event, and Place)
Conditions		3.2.2. Expression [has type] Graphic or Projected Image

	Source: CRM	FRBR
Domain	P138 represents (has representation)	
Link	P138.1 mode of representation	
Range	E55 Type	
Conditions		<i>(No relevance in library practice)</i>

	Source: CRM	FRBR
Domain	E41 Appellation	
Link	P139 has alternative form	
Range	E41 Appellation	
Conditions		<i>(Out of scope of FRBR; pertains to the scope of FRANAR)</i>